Focus Area 16: Maternal, Infant, and Child Health

Objective 16-1g targets a reduction in infant death rates due to congenital heart and vascular defects to 0.23 per 1,000 live births.

Based on data extracted from the Birth Cohort Perinatal Files, 202 California infants born in 2003 died from congenital heart and vascular defects during their first year of life at a rate of 0.46 per 1,000 live births, compared with 246 deaths in 2000 at a rate of 0.52 per 1,000 live births (Figure 16-1g, Table 16-1g). Although declining, California's infant death rate due to heart and vascular defects remained higher than the target established in HP2010 and this objective has not yet been achieved.

Data by race-ethnicity of the mother show that Asians experienced the highest cohort infant death rates due to heart and vascular defects (0.41 per 1,000 live births in 2003), followed by Hispanics/Latinos (0.40 per 1,000 live births in 2003) and Whites (0.27 per 1,000 live births). The HP2010 target of 0.23 per 1,000 has not yet been achieved for any of these racial and ethnic populations. Death rates for American Indians/Alaska Natives, Native Hawaiian/Other Pacific Islanders, and the Multirace populations were unreliable due to the small numbers of events and are not reported here.

Examined by age of mother, the highest cohort infant death rates due to heart and vascular defects occurred for 15-19 year-olds (0.43 per 1,000 live births in 2003), those aged 25-29 years (0.40 per 1,000 live births in 2003), and those aged 35 years and over (0.39 per 1,000 live births in 2003). The HP2010 target of 0.23 per 1,000 is not being achieved for any maternal age group as of 2003.

The cohort infant death rate for male infants was 0.40 per 1,000 live births in 2003, and for female infants was 0.35 per 1,000 live births in 2003. The HP2010 objective is not being achieved for either male or female infants as of 2003.

For more information on birth defects in California, visit the Genetic Diseases Branch Web site at:

http://www.dhs.ca.gov/org/pcfh/GDB/gdbindex.htm

and the Birth Defects Monitoring Program Web site at:

http://www.cbdmp.org/

For more information on Healthy People 2010 objective 16-1g, please visit:

http://www.healthypeople.gov/Document/HTML/Volume2/16MICH.htm#_Toc494699661 and

http://www.healthypeople.gov/Document/html/tracking/od16.htm#fetaldeaths




Table 16-1g: Infant Death Rates Due To Congenital Heart and Vascular Defects, California 2000-2003

| HP2010 Objective 16-1g | | 2000 | | Lower | Upper | | 2001 | | Lower | Upper |
|-------------------------------|--------|---------|-------------------|----------|----------|--------|---------|-------------------|----------|----------|
| | Deaths | Births | Rate ¹ | 95% C.I. | 95% C.I. | Deaths | Births | Rate ¹ | 95% C.I. | 95% C.I. |
| Healthy People 2010 Target | | | 0.23 | | | | | 0.23 | | |
| | | | | | | | | | | |
| Statewide Total | 246 | 531,313 | 0.46 | 0.41 | 0.52 | 263 | 527,452 | 0.50 | 0.44 | 0.56 |
| | | | | | | | | | | |
| Race-Ethnicity of Mother | | | | | | | | | | |
| African American/Black | 16 | 32,290 | 0.50 | 0.25 | 0.74 | 16 | 30,971 | 0.52 | 0.26 | 0.77 |
| American Indian/Alaska Native | 1 | 1,975 | DSU | | | 0 | 1,986 | 0.00 | | |
| Asian | 25 | 58,872 | 0.42 | 0.26 | 0.59 | 30 | 57,444 | 0.52 | 0.34 | 0.71 |
| Hawaiian/Pacific Islander | 1 | 2,376 | DSU | | | 2 | 2,356 | DSU | | |
| Hispanic/Latino | 133 | 257,963 | 0.52 | 0.43 | 0.60 | 137 | 261,022 | 0.52 | 0.44 | 0.61 |
| White | 63 | 168,219 | 0.37 | 0.28 | 0.47 | 72 | 163,787 | 0.44 | 0.34 | 0.54 |
| Multirace | 4 | 6,254 | DSU | | | 3 | 6,388 | DSU | | |
| Other/Unknown | 3 | 3,364 | DSU | | | 3 | 3,498 | DSU | | |
| Maternal Age Group | | | | | | | | | | |
| Under 15 | 2 | 895 | DSU | | | 0 | 810 | 0.00 | | |
| 15 - 19 | 24 | 55,375 | 0.43 | 0.26 | 0.61 | 23 | 52,972 | 0.43 | 0.26 | 0.61 |
| 20 - 24 | 51 | 122,581 | 0.42 | 0.30 | 0.53 | 70 | 123,231 | 0.57 | 0.43 | 0.70 |
| 25 - 29 | 65 | 139,604 | 0.47 | 0.35 | 0.58 | 64 | 136,448 | 0.47 | 0.35 | 0.58 |
| 30 - 34 | 58 | 127,509 | 0.45 | 0.34 | 0.57 | 70 | 127,951 | 0.55 | 0.42 | 0.68 |
| 35 and over | 41 | 85,251 | 0.48 | 0.33 | 0.63 | 34 | 85,948 | 0.40 | 0.26 | 0.53 |
| Sex of Child | | | | | | | | | | |
| Female | 126 | 259,218 | 0.49 | 0.40 | 0.57 | 112 | 258,171 | 0.43 | 0.35 | 0.51 |
| Male | 120 | 272,089 | 0.44 | 0.36 | 0.52 | 151 | 269,268 | 0.56 | 0.47 | 0.65 |

| HP2010 Objective 16-1g | | 2002 | | Lower | Upper | | 2003 | | Lower | Upper |
|-------------------------------|--------|---------|-------------------|----------|----------|--------|---------|-------------------|----------|----------|
| | Deaths | Births | Rate ¹ | 95% C.I. | 95% C.I. | Deaths | Births | Rate ¹ | 95% C.I. | 95% C.I. |
| Healthy People 2010 Target | | | 0.23 | | | | | 0.23 | | |
| | | | | | | | | | | |
| Statewide Total | 237 | 529,334 | 0.45 | 0.39 | 0.50 | 202 | 540,821 | 0.37 | 0.32 | 0.43 |
| | | | | | | | | | | |
| Race-Ethnicity of Mother | | | | | | | | | | |
| African American/Black | 15 | 29,809 | DSU | | | 17 | 29,197 | DSU | | |
| American Indian/Alaska Native | 1 | 1,966 | DSU | | | 0 | 2,004 | 0.00 | | |
| Asian | 20 | 59,376 | 0.34 | 0.19 | 0.48 | 25 | 61,511 | 0.41 | 0.25 | 0.57 |
| Hawaiian/Pacific Islander | 1 | 2,411 | DSU | | | 1 | 2,409 | DSU | | |
| Hispanic/Latino | 129 | 263,056 | 0.49 | 0.41 | 0.58 | 108 | 269,641 | 0.40 | 0.32 | 0.48 |
| White | 65 | 161,486 | 0.40 | 0.30 | 0.50 | 44 | 162,902 | 0.27 | 0.19 | 0.35 |
| Multirace | 1 | 6,812 | DSU | | | 2 | 7,110 | DSU | | |
| Other/Unknown | 5 | 4,418 | DSU | | | 5 | 6,047 | DSU | | |
| Maternal Age Group | | | | | | | | | | |
| Under 15 | 0 | 743 | 0.00 | | | 0 | 709 | 0.00 | | |
| 15 - 19 | 21 | 50,209 | 0.42 | 0.24 | 0.60 | 21 | 49,320 | 0.43 | 0.24 | 0.61 |
| 20 - 24 | 61 | 123,066 | 0.50 | 0.37 | 0.62 | 39 | 123,787 | 0.32 | 0.22 | 0.41 |
| 25 - 29 | 49 | 137,242 | 0.36 | 0.26 | 0.46 | 56 | 140,533 | 0.40 | 0.29 | 0.50 |
| 30 - 34 | 56 | 130,377 | 0.43 | 0.32 | 0.54 | 47 | 134,788 | 0.35 | 0.25 | 0.45 |
| 35 and over | 48 | 87,611 | 0.55 | 0.39 | 0.70 | 36 | 91,555 | 0.39 | 0.26 | 0.52 |
| Sex of Child | | | | | | | | | | |
| Female | 113 | 258,896 | 0.44 | 0.36 | 0.52 | 92 | 263,877 | 0.35 | 0.28 | 0.42 |
| Male | 124 | 270,429 | 0.46 | 0.38 | 0.54 | 110 | 276,932 | 0.40 | 0.32 | 0.47 |

SOURCE: California Department of Health Services, Birth Cohort Perinatal Files, 2000-2003.

NOTES: * Cohort files contain linked birth and death records for infants born in the same calendar year and followed-up for one year to determine as accurately as possible how many deaths occurred during the first year of life; deaths due to congenital heart and vascular defects defined by ICD-10 codes Q20-Q28.

DSU Data Statistically Unreliable due to small number of events.

¹ Rate per 1,000 live births; by mother's place of residence.